

"Cleans, disinfects and deodorizes without abrasives or bleach"



- Kills Pandemic 2009 H1N1 Influenza A
- Cleans, Disinfects and Deodorizes without Abrasives or Bleach
- Kills TB, HIV, CA-MRSA, MRSA, Hepatitis, A, B, & C, and H1N1
- EPA Registered
- Non-Flammable, Alcohol-Free Formulation
- Controls Mold and Mildew
- Helps Reduce the Risk of Cross-Contamination and Infection

Safetec® SaniZide Plus® Germicidal Solution

SaniZide Plus® is a convenient, fast-acting, multi-purpose, broad spectrum disinfectant/deodorizer for environmental surfaces. Our alcohol-free formulation is a non-corrosive, EPA registered, quaternary ammonium compound effective against: TB, HIV, Hepatitis A, B, & C, MRSA, CA-MRSA, VISA, VRE, and Pandemic 2009 H1N1 Influenza A. SaniZide Plus® helps you comply with the OSHA Bloodborne Pathogens Standard, which requires the use of an intermediate level (tuberculocidal) disinfectant where gross contaminations is known to have occurred.

Order No.	Description	Case Qty.
34800	4 oz. SaniZide Plus® Spray Bottle	24 per cs.
34805	16 oz. SaniZide Plus® Spray Bottle	12 per cs.
34810	32 oz. SaniZide Plus® Spray Bottle	6 per cs.
34815	Gallon SaniZide Plus® Bottle	4 per cs.



Virucidal Activity

Test Methods:

- * U.S. E.P.A. Pesticide Assessment Guidelines, Subdivision G: Product Performance, Section 91-2(f), and Section 91-30 (d), (e), November, 1982.
- † Protocols for Testing the Efficacy of Disinfectants against Hepatitis B Virus (HBV) (EPA, Federal Register, Vol. 65, No. 166, 8/25/2000, p. 51828).
- ‡ Protocol for Testing Disinfectants against Hepatitis C Virus using Bovine Viral Diarrhea Virus as approved by the U.S. EPA on August 15, 2002.
- **Modified U.S. E.P.A. Pesticide Assessment Guidelines, Subdivision G: Product Performance, Section 91-2(f), and Section 91-30 (d), (e), November, 1982.
- ***Per E.P.A. Guidance Document dated 10/31/09.



Test Organism

	Contact Time
*Hepatitis A Virus (HAV)	10 minutes
†Hepatitis B Virus (HBV).....	5 minutes
‡Hepatitis C Virus (HCV).....	5 minutes
*HIV-1 (associated with AIDS).....	1 minute
*Human Coronavirus	2 minutes
**Norovirus (Norwalk Virus)	30 seconds
*Poliovirus Type 1, strain Brunhilde	10 minutes
*SARS Associated Coronavirus (ZeptoMetrix).....	2 minutes
*Avian Flu A (Strains H9N2 and H3N2).....	2 minutes
***2009 H1N1 Influenza A Virus	2 minutes

Tuberculocidal Data

Test Method: AOAC Confirmative In Vitro Test for Determining Tuberculocidal Activity

Test Organism

	Contact Time
Mycobacterium bovis BCG (Organon Teknika).....	5 minutes

Fungicidal Data

Test Method: AOAC Germicidal Spray Products as Disinfectants

Test Organism

	Contact Time
Trichophyton mentagrophytes	10 minutes

Bactericidal Data

Test Method: AOAC Germicidal Spray Products as Disinfectants

Test Organism

	Contact Time
Staphylococcus aureus	3 minutes
Salmonella (choleraesuis) enterica (ATC 10708).....	3 minutes
Pseudomonas aeruginosa	3 minutes
Escherichia coli (E. coli)	3 minutes
Salmonella (typhi) enterica (ATCC 6539)	3 minutes
Streptococcus pyogenes.....	3 minutes
Community Associated Methicillin resistant Staphylococcus aureus (CA-MRSA).....	3 minutes
Methicillin resistant Staphylococcus aureus (MRSA).....	3 minutes
Methicillin resistant Staphylococcus epidermidis (MRSE).....	3 minutes
Vancomycin resistant Enterococcus faecalis (VRE).....	3 minutes
Vancomycin intermediate resistant Staphylococcus aureus (VISA).....	3 minutes

For Use On

Floors, walls, metal surfaces, stainless steel surfaces, glazed porcelain, glazed ceramic tile, plastic surfaces, shower stalls, bathtubs, cabinets, and all hard non-porous inanimate surfaces normally treated with a disinfectant.

**For plastic and painted surfaces, spot test on an inconspicuous area before use.*

