

**SaniZide Pro 1 Ready-To-Use Liquid  
Disinfectant**

**SDS Revision Date (mm/dd/yyyy): 12/15/2025**

Page 1 of 10

## SAFETY DATA SHEET

### SECTION 1. IDENTIFICATION

**Product identifier used on the label**

: **SaniZide Pro 1 Ready-To-Use Liquid Disinfectant**

**Other means of identification** : 32oz bottle

**Recommended use of the chemical and restrictions on use**

: Disinfectant.  
Restriction on use: None known

**Chemical family**

: Mixture.

**Name, address, and telephone number  
of the supplier:**

**Safetec of America, Inc.**

887 Kensington Avenue  
Buffalo, NY, USA  
14215

Supplier's Telephone # : (716) 895 1822

**24 Hr. Emergency Tel #** : 1-800-255-3924

**Name, address, and telephone number  
of the manufacturer:**

Refer to supplier

### SECTION 2. HAZARDS IDENTIFICATION

**Classification of the chemical**

Clear colourless liquid. Alcohol odour.

This is a registered EPA product. The product labeling is in compliance with EPA regulations and guidelines. This chemical is a disinfectant product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-disinfectant chemicals. The hazard information required on the disinfectant label is reproduced below. The disinfectant label also includes other important information, including directions for use.

Hazards to humans and Domestic animals.

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating and drinking, chewing gum, using tobacco or using toilet.

Flammable. Keep away from heat or open flame.

The following OSHA classification is for informational purposes only:

Flammable Liquid - Category 2

Serious eye damage/irritation - Category 2A

Specific Target Organ Toxicity - Single Exposure - Category 3 (narcotic effects)

**Label elements**

*Hazard pictogram(s)*



*Signal Word*

Danger

**SaniZide Pro 1 Ready-To-Use Liquid  
Disinfectant**

**SDS Revision Date (mm/dd/yyyy): 12/15/2025**

Page 2 of 10

## SAFETY DATA SHEET

*Hazard statement(s)*

Highly flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness.

*Precautionary statement(s)*

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground and bond container and receiving equipment. Use explosion-proof electrical and ventilating equipment. Use non-sparking tools. Take action to prevent static discharges. Avoid breathing mist or vapor. Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves, clothing and eye, face protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center or doctor if you feel unwell. If eye irritation persists: Get medical advice. In case of fire: Use appropriate media to extinguish.

Keep cool. Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Other hazards**

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

<u>Chemical name</u>	<u>Common name and synonyms</u>	<u>CAS #</u>	<u>Concentration (% by weight)</u>
Ethanol	Alcohol Ethyl alcohol	64-17-5	60.0 - 80.0
Didecyl Dimethyl Ammonium Chloride	DDCA	7173-51-5	0.1 - 1.0

The exact concentrations of the above listed chemicals are being withheld as a trade secret.

### SECTION 4. FIRST-AID MEASURES

**Description of first aid measures**

- Ingestion* : None required under normal conditions. If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting, unless directed to do so by qualified medical personnel. Get medical attention.
- Inhalation* : If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms persist.
- Skin contact* : Wash off with warm water and soap. Get medical attention if symptoms occur.
- Eye contact* : If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if symptoms persist.

**Most important symptoms and effects, both acute and delayed**

: Causes serious eye irritation.

**Indication of any immediate medical attention and special treatment needed**

: Treat symptomatically.

### SECTION 5. FIRE-FIGHTING MEASURES

**Extinguishing media**

*Suitable extinguishing media*

: Dry chemicals. Foam. Carbon dioxide (CO<sub>2</sub>).

**SaniZide Pro 1 Ready-To-Use Liquid  
Disinfectant****SDS Revision Date (mm/dd/yyyy): 12/15/2025**

Page 3 of 10

**SAFETY DATA SHEET***Unsuitable extinguishing media*

: Do not use water jet as extinguisher, as this will spread the fire.

**Special hazards arising from the substance or mixture / Conditions of flammability**

: Highly flammable liquid and vapor. Vapors may travel considerable distance to a source of ignition and flash back. Toxic fumes, gases or vapors may evolve on burning.

**Flammability classification (OSHA 29 CFR 1910.106)**

: Flammable liquids - Category 2

**Hazardous combustion products**

: Carbon oxides.

**Special protective equipment and precautions for firefighters***Protective equipment for fire-fighters*

: Firefighter should wear full protective clothing including self contained breathing apparatus. Normal protective clothing (bunker gear) may not be adequate. A full-body encapsulating chemical protective suit may be necessary.

*Special fire-fighting procedures*

: Fight fire with normal precautions from a reasonable distance. Cool containers exposed to heat with water spray and remove container, if no risk is involved.

**SECTION 6. ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures**

: Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep unnecessary personnel away. Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.

**Environmental precautions** : Avoid discharge into drains, water courses or onto the ground.**Methods and material for containment and cleaning up**

: Wipe up with absorbent material (e.g. cloth, fleece).

**Special spill response procedures**

: If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the National Response Center in the United States (phone: 1-800-424-8802).

**SECTION 7. HANDLING AND STORAGE****Precautions for safe handling**

: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid breathing mist or vapor. Avoid contact with skin, eyes and clothing. Observe good industrial hygiene practices.

**Conditions for safe storage** : Do not store around flammable or combustible materials. Store in tightly close original container in a well-ventilated place. Keep cool.**Incompatible materials** : Strong oxidizing agents.Acids.

SaniZide Pro 1 Ready-To-Use Liquid  
 Disinfectant

SDS Revision Date (mm/dd/yyyy): 12/15/2025

Page 4 of 10

## SAFETY DATA SHEET

### SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<b><u>Exposure Limits:</u></b>				
<b><u>Chemical Name</u></b>	<b><u>ACGIH TLV</u></b>		<b><u>OSHA PEL</u></b>	
	<b><u>TWA</u></b>	<b><u>STEL</u></b>	<b><u>PEL</u></b>	<b><u>STEL</u></b>
Ethanol	N/Av	1000 ppm	1000 ppm (1900 mg/m <sup>3</sup> )	N/Av
Didecyl Dimethyl Ammonium Chloride	N/Av	N/Av	N/Av	N/Av

#### **Exposure controls**

##### **Ventilation and engineering measures**

: Explosion-proof general and local exhaust ventilation.

**Respiratory protection** : None required when used as intended.

**Skin protection** : None required when used as intended.

**Eye / face protection** : None required when used as intended. Chemical goggles are recommended when there is a potential for splashing.

**Other protective equipment** : None required when used as intended.

##### **General hygiene considerations**

: Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical State** : Liquid

**Colour** : Clear, colorless.

**Odour** : Alcohol odour.

**Odour threshold** : Not available.

**pH** : 3.7 @ 77°F

**Melting Point/Freezing point** : Not available.

##### **Initial boiling point and boiling range**

: Not available.

**Flash point** : 18.5°C (65.3°F)

**Flashpoint (Method)** : Closed cup

**Evaporation rate (BuAe = 1)** : Not available.

**Flammability** : Flammable.

**Lower explosion or flammability limit (% by vol.)**

: 3.3% (Ethanol)

**Upper explosion or flammability limit (% by vol.)**

: 19% (Ethanol)

**Oxidizing properties** : Not applicable

**Explosive properties** : Not explosive

**Vapour pressure** : Not available.

**Relative vapour density** : Not available.

**Relative density / Specific gravity**

: 0.86

**SaniZide Pro 1 Ready-To-Use Liquid  
Disinfectant****SDS Revision Date (mm/dd/yyyy): 12/15/2025**

Page 5 of 10

**SAFETY DATA SHEET**

**Solubility in water** : Complete  
**Other solubility(ies)** : Not available.  
**Partition coefficient: n-octanol/water or Coefficient of water/oil distribution**  
: Not available.  
**Auto-ignition temperature** : Not available.  
**Decomposition temperature** : Not available.  
**Viscosity** : 3.23 cSt @ 68°F  
**Particle characteristics** : Not applicable.  
**Volatiles (% by weight)** : Not available.  
**Volatile organic Compounds (VOC's)**  
: Not available.  
**Absolute pressure of container**  
: Not available.  
**Flame projection length** : Not available.  
**Other physical/chemical comments**  
: Not applicable

**SECTION 10. STABILITY AND REACTIVITY**

**Reactivity** : The product is stable and non-reactive under normal conditions of use, storage and transport.  
**Chemical stability** : Stable under normal conditions.  
**Possibility of hazardous reactions**  
: Hazardous polymerization does not occur.  
**Conditions to avoid** : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
**Incompatible materials** : Strong oxidizing agents. Acids.  
**Hazardous decomposition products**  
: Carbon oxides.

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure:**

**Routes of entry inhalation** : YES  
**Routes of entry skin & eye** : YES  
**Routes of entry Ingestion** : YES  
**Routes of exposure skin absorption**  
: YES

**Potential Health Effects:****Signs and symptoms of short-term (acute) exposure***Sign and symptoms Inhalation*

: High concentrations may cause nausea, headache, dizziness and incoordination.

*Sign and symptoms ingestion*

: None expected, when used as intended. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

*Sign and symptoms skin*

: None expected, when used as intended. Direct skin contact may cause slight or mild, transient irritation.

**SaniZide Pro 1 Ready-To-Use Liquid  
Disinfectant**

**SDS Revision Date (mm/dd/yyyy): 12/15/2025**

Page 6 of 10

**SAFETY DATA SHEET**

*Sign and symptoms eyes* : Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling and blurred vision.

**Potential Chronic Health Effects**

: None reported by the manufacturer.

**Mutagenicity**

: Not expected to be mutagenic.

**Carcinogenicity**

: This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

**Reproductive effects & Teratogenicity**

: This product is not expected to cause reproductive or developmental effects.

**Sensitization to material**

: Not expected to be a skin or respiratory sensitizer.

**Specific target organ effects**

: None expected, when used as intended. May cause drowsiness or dizziness.

**Medical conditions aggravated by overexposure**

: Not available.

**Synergistic materials**

: Not available.

**Toxicological data**

: There is no available data for the product itself, only for the ingredients. See below for individual ingredient acute toxicity data.

<u>Chemical name</u>	<u>LC<sub>50</sub>(4hr)</u> <u>inh, rat</u>	<u>LD<sub>50</sub></u>	
		<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>
Ethanol	> 32 380 ppm (61 mg/L) 4 hours (vapour)	7060 mg/kg	> 15 800 mg/kg
Didecyl Dimethyl Ammonium Chloride	N/Av	658 mg/kg	2730mg/kg

**Other important toxicological hazards**

: Not available.

**SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

: Contains material that may be harmful in the environment. Do not release, unmonitored, into the environment.

**Ecotoxicity data:**

<u>Ingredients</u>	<u>CAS #</u>	<u>Toxicity to Fish</u>		
		<u>LC50 / 96h</u>	<u>NOEC / 21 day</u>	<u>M Factor</u>
Ethanol	64-17-5	> 100 mg/L Fathead minnow (Pimephales promelas)	N/Av	N/Av
Didecyl Dimethyl Ammonium Chloride	7173-51-5	0.33 mg/L (Rainbow trout)	N/Av	1

<u>Ingredients</u>	<u>CAS #</u>	<u>Toxicity to Daphnia</u>		
		<u>EC50 / 48h</u>	<u>NOEC / 21 day</u>	<u>M Factor</u>
Ethanol	64-17-5	5012 mg/L Water flea (Daphnia magna)	N/Av	N/Av
Didecyl Dimethyl Ammonium Chloride	7173-51-5	0.029 mg/L (Daphnia magna)	0.021 mg/L (Daphnia magna)	10

**SaniZide Pro 1 Ready-To-Use Liquid  
 Disinfectant**

**SDS Revision Date (mm/dd/yyyy): 12/15/2025**

Page 7 of 10

**SAFETY DATA SHEET**

<u>Ingredients</u>	<u>CAS #</u>	<u>Toxicity to Algae</u>		
		<u>EC50 / 96h or 72h</u>	<u>NOEC / 96h or 72h</u>	<u>M Factor</u>
Ethanol	64-17-5	1000 mg/L/96hr Green algae (Selenastrum capricornutum)	N/Av	N/Av
Didecyl Dimethyl Ammonium Chloride	7173-51-5	0.110mg/L (Green algae)	0.034mg/L (Green algae)	1

**Persistence and degradability**

: Ethanol is considered to be readily biodegradable.

**Bioaccumulation potential**

: No data is available on the product itself. See the following data for ingredient information.

<u>Components</u>	<u>Partition coefficient n-octanol/water (log Kow)</u>	<u>Bioconcentration factor (BCF)</u>
Ethanol (CAS 64-17-5)	- 0.31	N/Av

**Mobility in soil**

: None known or reported by the manufacturer.

**Other Adverse Environmental effects**

: No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

**SECTION 13. DISPOSAL CONSIDERATIONS**

**Handling for Disposal**

: Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

**Methods of Disposal**

: Dispose in accordance with all applicable regulations.

**RCRA**





: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261.

SaniZide Pro 1 Ready-To-Use Liquid  
Disinfectant  
SDS Revision Date (mm/dd/yyyy): 12/15/2025

Page 8 of 10

## SAFETY DATA SHEET

### SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
ICAO/IATA	UN1170	Ethanol	3	II	
<b>ICAO/IATA Additional information</b>	Refer to ICAO/IATA Packing Instruction				
49CFR/DOT	UN1170	ETHANOL	3	II	
<b>49CFR/DOT Additional information</b>	May be shipped as LIMITED QUANTITY when transported in quantities no larger than 1 Litre, in packages not exceeding 30 kg gross mass. Refer to 49 CFR Section 173.150.				
IMDG	UN1170	ETHANOL	3	II	
<b>IMDG Additional information</b>	Consult the IMDG regulations for exceptions.				
TDG	UN1170	ETHANOL	3	II	
<b>TDG Additional information</b>	May be shipped as LIMITED QUANTITY when transported in quantities no larger than 1 Litre, in packages not exceeding 30 kg gross mass. Please consult the TDG guidelines for further information.				

**Special precautions for user** : None reported by the manufacturer.

**Environmental hazards** : This product does not meet the criteria for an environmentally hazardous mixture, according to the IMDG Code. See Section 12 for more environmental information.

### SECTION 15 - REGULATORY INFORMATION

**US Federal Information:**

Components listed below are present on the following U.S. Federal chemical lists:

<u>Ingredients</u>	CAS #	TSCA Inventory	CERCLA Reportable Quantity(RQ) (40 CFR 117.302):	SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40 CFR 355:	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical	
					Toxic Chemical	de Minimis Concentration
Ethanol	64-17-5	Yes	N/Ap	N/Ap	No	N/Ap
Didecyl Dimethyl Ammonium Chloride	7173-51-5	Yes	N/Ap	N/Av	No	NS

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Flammable Eye irritation Specific target organ toxicity, single exposure.

**SaniZide Pro 1 Ready-To-Use Liquid  
 Disinfectant**

**SDS Revision Date (mm/dd/yyyy): 12/15/2025**

Page 9 of 10

**SAFETY DATA SHEET**

**US State Right to Know Laws:**

The following chemicals are specifically listed by individual States:

<u>Ingredients</u>	CAS #	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Ethanol	64-17-5	No	N/Ap	Yes	Yes	Yes	Yes	Yes	Yes
Didecyl Dimethyl Ammonium Chloride	7173-51-5	No	N/Ap	No	No	No	No	No	No

**Canadian Information:**

All ingredients are present on the DSL.

**International Information:**

Components listed below are present on the following International Inventory list:

<u>Ingredients</u>	CAS #	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Ethanol	64-17-5	200-578-6	Present	Present	(2)-202	KE-13217	Present	HSR001144
Didecyl Dimethyl Ammonium Chloride	7173-51-5	230-525-2	Present	Present	(2)-184	KE-10281	Present	HSR002708

**SECTION 16. OTHER INFORMATION**

**Legend**

- : ACGIH: American Conference of Governmental Industrial Hygienists
- CAS: Chemical Abstract Services
- CFR: Code of Federal Regulations
- CSA: Canadian Standards Association
- DOT: Department of Transportation
- DSL: Domestic Substances List
- EPA: Environmental Protection Agency
- IARC: International Agency for Research on Cancer
- IATA: International Air Transport Association
- ICAO: International Civil Aviation Organisation
- IMDG: International Maritime Dangerous Goods
- LC: Lethal Concentration
- LD: Lethal Dose
- N/Ap: Not Applicable
- N/Av: Not Available
- NFPA: National Fire Protection Association
- NIOSH: National Institute of Occupational Safety and Health
- NOEC: No observable effect concentration
- NTP: National Toxicology Program
- OECD: Organisation for Economic Co-operation and Development
- OEL: National occupational exposure limits
- OSHA: Occupational Safety and Health Administration
- PEL: Permissible exposure limit
- PPE: Personal Protective Equipment
- SARA: Superfund Amendments and Reauthorization Act

**SaniZide Pro 1 Ready-To-Use Liquid  
Disinfectant**

**SDS Revision Date (mm/dd/yyyy): 12/15/2025**

Page 10 of 10

## **SAFETY DATA SHEET**

STEL: Short Term Exposure Limit  
TDG: Canadian Transportation of Dangerous Goods Act & Regulations  
TLV: Threshold Limit Values  
TWA: Time Weighted Average

**References** : 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices  
2. ECHA - European Chemical Agency  
3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases  
4. Safety Data Sheets from manufacturer.  
5. US EPA Title III List of Lists  
6. California Proposition 65 List  
7. OECD - The Global Portal to Information on Chemical Substances - eChemPortal

**Preparation Date**

: 04/30/2020

**Reviewed Date SDS**

: 12/15/2025

**Revision No.**

: 2

**Revision Information**

: 9. PHYSICAL AND CHEMICAL PROPERTIES

### **DISCLAIMER**

The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. Safetec of America Inc. expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this Safety Data Sheet does not apply to use with any other product or in any other process. This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of Safetec of America Inc

**END OF DOCUMENT**