

Skin-Tac® "H" Liquid
SDS Revision Date (mm/dd/yyyy): 08/27/2026

Page 1 of 10

SAFETY DATA SHEETS

SECTION 1: IDENTIFICATION

Product identifier used on the label

: **Skin-Tac® "H" Liquid**

Other means of identification

: **9900101**
Bottle with Dauber cap
MS407

Recommended use of the chemical and restrictions on use

: For personal care
Usage Restriction: None known

Chemical family : Mixture

Name, address, and telephone number of the supplier:

Torbot, a division of Safetec

887 Kensington Avenue
Buffalo, NY, USA 14215

Supplier's Telephone # : (716) 895-1822

24 Hr. Emergency Tel # : 1-800-255-3924

Name, address, and telephone number of the manufacturer:

Refer to supplier.

SECTION 2. HAZARD IDENTIFICATION

Classification of the chemical

Bottle with Dauber cap and a light yellow to amber liquid. Smell of alcohol.

This product is offered for sale as a safe personal care item for consumers under normal and reasonably foreseeable conditions of use. As such, it is not regulated under the labelling requirements of Hazcom 2012 and WHMIS 2015. For informational purposes, this product would have the following OSHA classification:

Flammable Liquid - Category 2

Serious Eye Damage/Irritation - Category 2A

Specific target organ toxicity, single exposure - Category 3 (narcotic effects)

Labelling elements

Hazard pictogram(s)



Signal word

Be careful!

Hazard statements

Flammable solid material
Causes severe eye irritation. May cause
drowsiness or dizziness.

Skin-Tac® "H" Liquid
SDS Revision Date (mm/dd/yyyy): 08/27/2026

Page 2 of 10

SAFETY DATA SHEETS

Precautionary Statements

Keep away from heat, hot surfaces, sparks, open flames, and other sources of ignition. Do not smoke.
 Grounding and equipotential bonding of the container and the receiving equipment.
 Use explosion-proof electrical and ventilation equipment.
 Wash thoroughly after handling.
 Use only outdoors or in a well-ventilated area. Avoid breathing in smoke, fog or vapors.
 Wear protective gloves and eye/face protection.
 IN CASE OF CONTACT WITH EYES: Rinse carefully with water for several minutes. Remove contact lenses if the victim wears them and if they can be easily removed. Continue to rinse. If eye irritation persists, seek medical attention.
 IF INHALED: Carry the person outdoors and hold them in a position where they can breathe comfortably. Call a POISON CONTROL CENTRE or a doctor if you feel unwell.
 In case of fire: Use water spray, chemical powder, CO2 or alcohol foam for extinguishing. Store in a well-ventilated area. Keep the container closed tightly. Keep under lock and key. Dispose of the contents/container at the disposal site in accordance with local regulations.

Other hazards

Other hazards that do not require classification: Ingestion may cause irritation of the digestive system, nausea, vomiting, and diarrhea.

SECTION 3: COMPOSITION/INGREDIENT INFORMATION

Mixing

<u>Chemical Name</u>	<u>Common name and synonyms</u>	<u>CAS RN</u>	<u>Concentration (wt%)</u>
Isopropanol	Isopropyl 2-propanol alcohol	67-63-0	65.0 - 85.0
Partially hydrogenated rosin	Resin acids and Rosin acids, hydrogenated	65997-06-0	<18

The precise concentrations of the chemicals listed above are not disclosed under trade secrets.

SECTION 4. FIRST AID

Description of First Aid

Ingestion : Adverse effects are not expected with normal use.
Inhalation : Adverse effects are not expected with normal use.

Skin contact : Harmful effects are not expected with normal use. If irritation or rash occurs: Consult a physician.
Contact with the eyes : IN CASE OF CONTACT WITH EYES: Rinse carefully with water for several minutes. If eye irritation persists, seek medical attention.

Main symptoms and effects, acute and delayed

: None intended, when used as intended. Causes severe eye irritation. Symptoms may include watery eyes, redness, and discomfort.

Indication of any immediate medical care and special treatments needed

: Treat symptomatically.

SECTION 5. FIRE RESPONSE

Extinguishing agents

Skin-Tac® "H" Liquid
SDS Revision Date (mm/dd/yyyy): 08/27/2026

Page 3 of 10

SAFETY DATA SHEETS

Appropriate extinguishing agents

: Dry chemicals foam. Carbon dioxide (CO₂) Water or spray mist.

Inappropriate extinguishing agents

: Do not use a water jet as a means of extinguishing as this could spread the fire.

Special hazards resulting from the substance or mixture / Flammability conditions

: Flammable liquid material

Flammability classification (OSHA 29 CFR 1910.106)

: Flammable Liquid - Category 2

Hazardous Combustion Products

: Carbon oxides

Special protective equipment and precautions for firefighters

Protective equipment for firefighters

: Firefighters should wear a self-contained breathing apparatus with a full-face element and waterproof clothing.

Special Firefighting Methods

: Cool containers exposed to heat with water spray and remove it, if it is safe to do so.

SECTION 6. ACTIONS TO BE TAKEN IN THE EVENT OF AN ACCIDENTAL SPILL

Personal Precautions, Protective Equipment and Emergency Procedures

: Eliminate all sources of ignition (no smoking, no torches, sparks or flames nearby). Wear proper personal protective equipment.

Precautions for the protection of the environment

: Avoid release to the environment.

Containment and Cleaning Methods and Equipment

: Wipe with an absorbent material (e.g. fabric, wool).

Special Spill Response Methods

: Not applicable.

SECTION 7. HANDLING AND STORAGE

Handling safety precautions

: Keep away from heat, hot surfaces, sparks, open flames, and other sources of ignition.
Do not smoke. Do not swallow or ingest.
Follow good industrial hygiene practices.

Conditions for safe storage

: Keep containers closed when not in use. Strong oxidizing agents.

Incompatible substances

: Acids.

Skin-Tac® "H" Liquid
SDS Revision Date (mm/dd/yyyy): 08/27/2026

Page 4 of 10

SAFETY DATA SHEETS

SECTION 8. EXPOSURE CONTROL/PERSONAL PROTECTION

Exposure limits:			
<u>Chemical Name</u>	<u>ACGIH TLV</u>		<u>OSHA PEL</u>
	<u>TWA</u>	<u>STEL</u>	<u>PEL</u> <u>STEL</u>
Isopropanol	200 ppm	400 ppm	400 ppm (980 D mg/m ³) (P/
Partially hydrogenated rosin	P/A	P/A	P/A P/A

Exposure controls

Ventilation and engineering

measures : None required under normal conditions.

Respiratory protection : None required under normal conditions.

Skin protection : None required under normal conditions.

Eye/face protection : None required under normal conditions.

Other protective equipment

: None required when used as intended.

General hygiene considerations

: Always observe good personal hygiene practices such as washing after handling the material and before eating, drinking and/or smoking.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Napkin saturated with a light yellow to amber liquid

Smell : Alcohol

Olfactory : Not available.

threshold : Not available.

pH

Melting Point/Freezing Point

: Not available.

Initial boiling point and boiling range

: 82.26°C (180.07°F)

Flash Point : 26.1°C (79°F)

Flash Point Method : Closed cup

Evaporation rate (n-butyl acetate = 1)

: 2.88

Flammability (liquid, gas) : Flammable liquid material

Lower flammability limit (% vol.)

: 1.3%

Upper flammability limit (% vol.)

Skin-Tac® "H" Liquid
SDS Revision Date (mm/dd/yyyy): 08/27/2026

Page 5 of 10

SAFETY DATA SHEETS

Oxidizing properties

: 12%
: None.

Explosive properties

: Non-explosive

Vapor pressure

: 33 mmHg

Vapor density

: Not available.

Relative Density / Specific Weight

: 0.7864 @ 20°C

Solubility in water

: Sold out

Other solubility(ies)

: Not available.

Partition coefficient: n-octanol/water / Water/oil distribution coefficient

: Not available.

Auto-ignition temperature

: Not available.

Decomposition Temperature

: Not available.

Viscosity

: Not available.

Volatile matter (wt%)

: 100%

Volatile Organic Compounds (VOCs)

: Not available.

Absolute Container Pressure

: Not available.

Flame projection distance

: Not available.

Other physical/chemical observations

: None known or reported by the manufacturer.

SECTION 10. STABILITY AND RESPONSIVENESS

Reactivity

: This product is stable and non-reactive under normal conditions of use, storage and transportation.

Chemical stability

: The product is stable under normal use.

Possibility of hazardous reactions

: Hazardous polymerization does not occur.

Conditions to avoid

: Keep away from heat, sparks, and open flames.

Incompatible materials

: See Section 7 (Handling and Storage) for more details.

Hazardous decomposition products

: See Section 5 (Fire-fighting measures).

Skin-Tac® "H" Liquid
SDS Revision Date (mm/dd/yyyy): 08/27/2026

Page 6 of 10

SAFETY DATA SHEETS

SECTION 11. TOXICOLOGICAL DATA

Information on likely routes of exposure:

Routes of entry inhalation : YES

Routes of entry skin & eyes : YES

Routes of entry ingestion : YES

Routes of exposure skin absorption
: NO

Potential Health Effects:

Short-term (acute) exposure symptoms

Signs and symptoms inhalation

: None intended, when used as intended.

Signs and symptoms ingestion

: None intended, when used as intended.

Signs and symptoms Skin

: None planned, when used as intended.

Signs and symptoms eyes

: None intended, when used as intended. Direct contact with the eyes may cause irritation. Symptoms may include watery eyes, redness, and discomfort.

Risk of chronic health effects : None intended, when used as intended.

Mutagenicity : Is not intended to be mutagenic.

Carcinogenicity : This product is not considered carcinogenic by IARC, ACGIH, NTP, or OSHA.

Reproductive Effects & Teratogenicity

: This product is not suspected of causing reproductive or developmental effects.

Sensitization to material : Is not intended to be a respiratory or skin sensitizer.

Specific target organ effects : **None intended, when used as intended.**

Medical conditions aggravated by overexposure

: None reported by the manufacturer.

Synergistic substances : None reported by the manufacturer.

Toxicological data : See data below for acute toxicity.

<u>Chemical Name</u>	LC50(4hr) <u>inh, rat</u>	LD50	
		<u>(Oral, rat)</u>	<u>(skin, rabbit)</u>
Isopropanol	17,000 ppm (41.8 mg/L) (steam)	4720 mg/kg	12,890 mg/kg
Partially hydrogenated rosin	P/A	>2000 mg/kg	P/A

Skin-Tac® "H" Liquid
SDS Revision Date (mm/dd/yyyy): 08/27/2026

Page 7 of 10

SAFETY DATA SHEETS

Other Important Toxicological Hazards

: None known or reported by the manufacturer.

SECTION 12. ECOLOGICAL DATA

Ecotoxicity : The product has not been classified as hazardous to the environment. Avoid release to the environment.

Ecotoxicity data:

Ingredients	CAS RN	Toxicity to fish		
		LC50 / 96h	NOEC / 21 day	M-factor
Isopropanol	67-63-0	9640 mg/L (Bighead Minnow)	P/A	None.
Partially hydrogenated rosin	65997-06-0	P/A	P/A	None.

Ingredients	CAS RN	Toxicity to daphnias		
		EC50 / 48h	NOEC / 21 days	M-factor
Isopropanol	67-63-0	> 10,000 mg/L/24hr (daphnia magna)	30 mg/L	None.
Partially hydrogenated rosin	65997-06-0	P/A	P/A	None.

Ingredients	CAS RN	Toxicity to algae		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M-factor
Isopropanol	67-63-0	P/A	P/A	None.
Partially hydrogenated rosin	65997-06-0	P/A	P/A	None.

Persistence and degradability

: Not available.

Potential for bioaccumulation

: Not available.

<u>Ingredients</u>	<u>Partition coefficient: n-octanol/water (log K_{ow})</u>	<u>Bioconcentration factor (BCF)</u>
Isopropanol	0.05	1.0
Partially hydrogenated rosin	1.9-7.7	56.23

Mobility in the ground : Not available.

Miscellaneous Adverse Effects on the Environment

: None known or reported by the manufacturer.

Skin-Tac® "H" Liquid
SDS Revision Date (mm/dd/yyyy): 08/27/2026

Page 8 of 10

SAFETY DATA SHEETS

SECTION 13. DISPOSAL DATA

Handling for disposal

: Dispose of the product in accordance with local regulations.

Methods of disposal

: Dispose of the product in accordance with local regulations.

RCRA (Resource Conservation and Recovery Act)

: Not applicable.

SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	UN Shipping Name	Transport hazard class(es)	Packing Group -age	Label
The United States (DOT)	UN 1170	Ethanol Solution	III	II	
The United States (DOT)	4 oz is below the 1L LQ limit, can be shipped under limited quantity.				
Additional Information					
ICAO/IATA	UN 1170	Ethanol Solution	III	II	
ICAO/IATA	4 oz is below the 1L LQ limit, can be shipped under limited quantity.				
Additional Information					
IMDG	UN 1170	Ethanol Solution	III	II	
IMDG	4 oz is below the 1L LQ limit, can be shipped under limited quantity.				
Additional Information					

Special precautions to be taken by the user

: Adequate precautionary statements must accompany the packaging.

Environmental hazards

: This product does not meet the criteria for a mixture that is hazardous to the environment according to the IMDG Code. Refer to Section 12 for more environmental information.

Bulk transport in accordance with Annex II of the MARPOL 73/78 Convention and the IBC Code

: Not established.

Skin-Tac® "H" Liquid
SDS Revision Date (mm/dd/yyyy): 08/27/2026

Page 9 of 10

SAFETY DATA SHEETS

SECTION 15. REGULATORY INFORMATION

U.S. Federal Intelligence:

The ingredients listed below are present on the following U.S. federal chemical lists

<u>Ingredients</u>	<u>No CAS</u>	TSCA Inventory	CERCLA Reportable Quantity (RQ) (40 CFR 117.302):	SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40 CFR 355:	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical	
					Toxic chemical	de minimis concentration
Isopropanol	67-63-0	Yes	None.	None.	Yes	No
Partially hydrogenated rosin	65997-06-0	Yes	P/A	P/A	No	No

SARA TITLE III: Sec. 313 Toxic Chemicals Notification, 40 CFR 372: Flammable Liquid Eye Irritation Specific Target Organ Toxicity - Single Exposure.

U.S. Laws "State Right to Know":

The following chemicals are listed by each of these states:

<u>Ingredients</u>	<u>CAS RN</u>	California Proposition 65		Right to Know Status List					
		Registered	Type of toxicity	CA	MA	MN	NJ	PA	IR
Isopropanol	67-63-0	No	N/A	Yes	Yes	Yes	Yes	Yes	Yes
Partially hydrogenated rosin	E 65997-06-0	No	N/A	No	No	No	No	No	No

Canadian Information:

All Ingredients of this product are on the Canadian LIS list. WHMIS classification: See Section 2.

International Intelligence:

The ingredients listed below are present on the following international inventory list:

<u>Ingredients</u>	<u>CAS RN</u>	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	New Zealand IOC
Isopropanol	67-63-0	200-661-7	Present	Present	(2)-207	KE-29363	Present	HSR001180
Partially hydrogenated rosin	65997-06-0	266-041-3	Present	Present	(7)-937; (8)-14	KE-20160	Present	P/A

Skin-Tac® "H" Liquid
SDS Revision Date (mm/dd/yyyy): 08/27/2026

Page 10 of 10

SAFETY DATA SHEETS

SECTION 16. OTHER INFORMATION

Legend

: ACGIH: American Conference of Governmental Industrial Hygienists
CAS: Chemical Abstract Services
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980
CSA: Canadian Standards Association
DOT: Department of Transportation
DSL: Domestic Substances List
EPA: Environmental Protection Agency
IARC: International Agency for Research on Cancer
IATA: International Air Transport Association
ICAO: International Civil Aviation Organization
IMDG: International Maritime Dangerous Goods Code Inh: Inhalation
CL: Lethal Concentration /DL: Lethal Dose
N/A: Not applicable /P/D: Not available
NFPA: National Fire Protection Association
NIOSH: National Institute of Occupational Safety and Health
NOEC: No-observed-effect concentration
NTP: National Toxicology Program
OECD: Organization for Economic Co-operation and Development
OEL: National Occupational Exposure Limits
OSHA: Occupational Safety and Health Administration
PEL: Permissible exposure limit
SARA: Superfund Amendments & Reauthorization Act
STEL: Short Term Exposure Limit
TLV: Threshold Limit Values
TWA: Time-Weighted Average
WHMIS: Workplace Materials Information System

References

: 1. ACGIH, Cut-Off Value for Chemicals and
2. Physical Agents and Biological Exposure
3. ECHA - European Chemical Agency
4. Canadian Centre for Occupational Health and Safety, CCInfoWeb database
5. Manufacturer's Safety Data Sheets.
6. US EPA Title III List of Lists
7. California Proposition 65 List
8. OECD - The Global Portal to Information on Chemical Substances - eChemPortal

Date of preparation (mm/dd/yyyy)

: 08/27/2026

Date of revision (mm/dd/yyyy)

: N/A

No. revision

: 1

Revision Information

: Initial/New

DISCLAIMER

The information contained in the Safety Data Sheet is provided for your consideration and guidance when exposed to this product. Safetec of America Inc. expressly disclaims all warranties, express or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein. The data contained in this Safety Data Sheet does not apply to use with any other product or in any other process. This Safety Data Sheet may not be modified or altered in any way without the express permission of Safetec of America Inc.

END OF DOCUMENT